

***** STN Columbus *****

FILE 'HOME' ENTERED AT 10:34:42 ON 01 MAY 2007

=> FIL REGISTRY

COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE

ENTRY

0.21

TOTAL

SESSION

0.21

FILE 'REGISTRY' ENTERED AT 10:35:08 ON 01 MAY 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 30 APR 2007 HIGHEST RN 933825-30-0

DICTIONARY FILE UPDATES: 30 APR 2007 HIGHEST RN 933825-30-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006


Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\john.str



chain nodes :

13 14 15 17 18 19 20 21 22

ring nodes :

1 2 3 4 5 6 7 8 9 10 11 12

ring/chain nodes :

23 24

chain bonds :

3-15 7-14 9-13 11-17 17-18 18-19 19-20 20-21 21-22 22-23 23-24

ring bonds :

1-2 1-4 2-3 3-5 4-12 5-6 6-7 7-8 8-9 9-10 10-11 11-12

exact/norm bonds :

1-4 3-15 7-14 9-13 11-17 17-18 18-19 19-20 20-21 23-24

exact bonds :
1-2 2-3 3-5 4-12 5-6 6-7 7-8 8-9 9-10 10-11 11-12 21-22 22-23
isolated ring systems :
containing 1 :

G1:H,CH3

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:CLASS 14:CLASS 15:CLASS 17:CLASS 18:CLASS 19:CLASS
20:CLASS 21:CLASS 22:CLASS 23:CLASS 24:CLASS

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



G1 H,Me

Structure attributes must be viewed using STN Express query preparation.

=> s l1 sam

SAMPLE SEARCH INITIATED 10:37:15 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 190 TO ITERATE

100.0% PROCESSED 190 ITERATIONS

1 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 2973 TO 4627

PROJECTED ANSWERS: 1 TO 80

L2 1 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 10:38:17 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 3857 TO ITERATE

100.0% PROCESSED 3857 ITERATIONS

16 ANSWERS

SEARCH TIME: 00.00.01

=> FIL REGISTRY

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

9.97

184.53

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-0.78

-0.78

FILE 'REGISTRY' ENTERED AT 10:45:11 ON 01 MAY 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 30 APR 2007 HIGHEST RN 933825-30-0

DICTIONARY FILE UPDATES: 30 APR 2007 HIGHEST RN 933825-30-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006


Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\john1.str



chain nodes :

13 14 15 17 18 19 20 21 22

ring nodes :

1 2 3 4 5 6 7 8 9 10 11 12

ring/chain nodes :

23 24

chain bonds :

3-15 7-14 9-13 11-17 17-18 18-19 19-20 20-21 21-22 22-23 23-24

ring bonds :

1-2 1-4 2-3 3-5 4-12 5-6 6-7 7-8 8-9 9-10 10-11 11-12

exact/norm bonds :

3-15 7-14 9-13 23-24

exact bonds :

1-2 1-4 2-3 3-5 4-12 5-6 6-7 7-8 8-9 9-10 10-11 11-12 11-17 17-18
18-19 19-20 20-21 21-22 22-23

isolated ring systems :

containing 1 :

G1:H,CH3

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:CLASS 14:CLASS 15:CLASS 17:CLASS 18:CLASS 19:CLASS
20:CLASS 21:CLASS 22:CLASS 23:CLASS 24:CLASS

L5 STRUCTURE UPLOADED

=> d 15

L5 HAS NO ANSWERS

L5 STR



G1 H,Me

Structure attributes must be viewed using STN Express query preparation.

=> s 15 sam

SAMPLE SEARCH INITIATED 10:48:34 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 23 TO ITERATE

100.0% PROCESSED 23 ITERATIONS

1 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 173 TO 747

PROJECTED ANSWERS: 1 TO 80

L6 1 SEA SSS SAM L5

=> s 15 full

FULL SEARCH INITIATED 10:48:57 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 398 TO ITERATE

100.0% PROCESSED 398 ITERATIONS

15 ANSWERS

SEARCH TIME: 00.00.01

L7 15 SEA SSS FUL L5

=> fil caplus

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
174.80	359.33

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
0.00	-0.78

CA SUBSCRIBER PRICE

FILE 'CAPLUS' ENTERED AT 10:49:06 ON 01 MAY 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 1 May 2007 VOL 146 ISS 19

FILE LAST UPDATED: 30 Apr 2007 (20070430/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s 17

L8 1 L7

=> FIL REGISTRY

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.47	359.80

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
0.00	-0.78

CA SUBSCRIBER PRICE

FILE 'REGISTRY' ENTERED AT 10:49:33 ON 01 MAY 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 30 APR 2007 HIGHEST RN 933825-30-0

DICTIONARY FILE UPDATES: 30 APR 2007 HIGHEST RN 933825-30-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006


Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\john3.str



chain nodes :

13 14 15 17 18 19 20

ring nodes :

1 2 3 4 5 6 7 8 9 10 11 12

chain bonds :

3-15 7-14 9-13 11-17 17-18 18-19 19-20

ring bonds :

1-2 1-4 2-3 3-5 4-12 5-6 6-7 7-8 8-9 9-10 10-11 11-12

exact/norm bonds :

3-15 7-14 9-13

exact bonds :

1-2 1-4 2-3 3-5 4-12 5-6 6-7 7-8 8-9 9-10 10-11 11-12 11-17 17-18
18-19 19-20

isolated ring systems :

containing 1 :

G1:H,CH3

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:CLASS 14:CLASS 15:CLASS 17:CLASS 18:CLASS 19:CLASS
20:CLASS

L9 STRUCTURE UPLOADED

=> d 19

L9 HAS NO ANSWERS

L9 STR



G1 H, Me

Structure attributes must be viewed using STN Express query preparation.

=> s 19 sam

SAMPLE SEARCH INITIATED 10:51:22 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 39 TO ITERATE

100.0% PROCESSED 39 ITERATIONS

22 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**

PROJECTED ITERATIONS: 406 TO 1154

PROJECTED ANSWERS: 159 TO 721

L10 22 SEA SSS SAM L9

=> s 19 full

FULL SEARCH INITIATED 10:51:33 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 616 TO ITERATE

100.0% PROCESSED 616 ITERATIONS

364 ANSWERS

SEARCH TIME: 00.00.01

L11 364 SEA SSS FUL L9

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

173.45

533.25

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

0.00

-0.78

FILE 'CAPLUS' ENTERED AT 10:51:46 ON 01 MAY 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available